


VERSATILE

specstones

Why Pre-Fab?

› Quicker and Easier to Install

Perfect for Countertops,
 Tabletops, Bath/Shower
 Surrounds, and Custom
 Furniture Pieces > Remarkably
 Durable > Easy to Maintain >
 Eco-Friendly



Pre-Fab

MILE®stone's Pre-Fab program offers solutions for seamless porcelain panel installations suitable for a wide range of interior and exterior applications. Crafted with precision and durability in mind, these oversized porcelain panels redefine functional aesthetics.

MILE®stone Pre-Fab is initially offered in 32"x96" alongside a Sharknose Edge to provide a multipurpose solution for both residential and commercial spaces. Whether used as shower panels, countertops, or even as innovative furniture elements, these porcelain panels showcase unparalleled adaptability. The 32"x96" size integrates into existing size offerings, to offer a complete product range. Its 12mm thickness ensures structural strength during the fabrication process and maintains the traditional ease of porcelain once installed. The porcelain body offers the traditional resistance to mold growth, stain, UV, weather, and wear, making the product ideal for both indoor and outdoor settings.

With a focus on quality and innovation, MILE®stone Pre-Fab broadens interior design possibilities, offering a blend of functionality and style for any project.

8 Colors



Adagio White JEM Matte - 1105112



Jute Cross Cut EcoStone

Matte - 1105111

Aria Gold JEM Matte – 1105113 Polished - 1105205



Alabaster Farmhouse Living Matte - 1105114



Fog Cross Cut EcoStone Matte – 1105109

EcoStone



Intaglio Kaolin *imprint* Matte – 1105101



Millstone Farmhouse Living Matte - 1105115 Fossil Cross Cut Matte - 1105110

1 Size

32"x96"



Aria Gold *JEM* – Matte 1105199 *JEM* – Polished 1105206

Adagio White JEM - 1105198

32"x96" Sharknose Edge

Deco

Fog Cross Cut EcoStone - 1105195 Kaolin imprint - 1105194 Alabaster Farmhouse Living Jute Cross Cut - 1105200

EcoStone – 1105197

Fossil Cross Cut *EcoStone* – 1105196

Millstone

Farmhouse Living - 1105201

Table Farmhouse Living_Pre-Fab_32"x96"_Millstone_Matte Floor Farmhouse Living_48"x48"_Slate_Matte














Outdoor Tabletop Farmhouse Living Pre-Fab_32"x96". Millstone_Matte Outdoor Floor Farmhouse Living_24"x24" 2CM_Millstone_Grip

Our Pre-Fab program maintains all the traditional benefits of porcelain — resistances to mold growth, staining, UV, weather, and wear — in larger sizes that can be fabricated and installed faster and easier than ever before.







Colors + Sizes

Colors	32"x96"	32"x96" Sharknose	
ADAGIO WHITE - JEM	Matte 1105112	Matte 1105198	
ARIA GOLD - JEM	Matte 1105113	Matte 1105199	
ARIA GOLD - JEM	Polished 1105205	Polished 1105206	
FOG CROSS CUT - ECOSTONE	Matte 1105109	Matte 1105195	
KAOLIN - IMPRINT	Matte 1105101	Matte 1105194	
ALABASTER - FARMHOUSE LIVING	Matte 1105114	Matte 1105200	
JUTE CROSS CUT - ECOSTONE	Matte 1105111	Matte 1105197	
FOSSIL CROSS CUT - ECOSTONE	Matte 1105110	Matte 1105196	
MILLSTONE - FARMHOUSE LIVING	Matte 1105115	Matte 1105201	

Colors shown may vary from actual product.
Final selection should be made from actual product samples.

Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.

Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1. Este product cumple o exceed todos los estandares de ANSI A137.1.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
*	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
ж.	DCOF AguiTeat®	ANSI	INDOOR ≥0.42 WET	≥0.42 WET (MATTE SURFACES) >0.55 WET (2CM & GRIP)	
*	D.C.O.F. AcuTest®	A326.3	OUTDOOR >0.55 WET		
*	STAIN RESISTANCE	ASTM C137 8	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥20	0 lbf
۵	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
**	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
H	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in ≤0.04 in	
т <u></u>	THICKNESS	ASTM C499	Range: ± 0.04 in		
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	

[•] Due to the inherent nature of fired porcelain tile, it is important to note that the coefficent of friction may vary within and between product runs.

Green Memberships & Accreditations

DESCRIPTION

	DESCRIPTION
Red List Free Declare.	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
hod version 2.0	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
EPD®	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
G GREEN SQUARED	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
GREENGUARD RESOLUTION TO THE STATE OF THE S	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
Solve Consump	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
Secucion Contraction	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
INTERNATIONAL LIVING FUTURE	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
STEMBER .	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA sources >95% raw material within a 500 mile radius, which results in a smaller carbon footprint.
TILE COUNCIL OF NORTH AMERICA, INC.	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
A A A A A A A A A A A A A A A A A A A	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
ISO 9001 Duily Management Systems CERTIFIED ISO 14001 Environmental Management CERTIFIED CERTIFIED	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious
BENEFIT	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S. Green Building Council, MILEstone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices.

Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

MILE®stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.







specstones

www.specstonesinc.com

415-684-1355

1500B Burke Ave. San Francisco